



MAR 21 2012

Gerardo C. Rios, Chief Permits Office Air Division U.S. EPA - Region IX 75 Hawthorne St San Francisco, CA 94105

Re:

Notice of Minor Title V Permit Modification

District Facility # S-1751 Project # S-1110987

Dear Mr. Rios:

Enclosed for you to review is an application for minor Title V permit modification for the facility identified above. Rio Bravo Jasmin is proposing a Title V minor permit modification to incorporate the recently issued S-1751-10-3 into the Title V operating permit. This modification authorizes the storing of biomass in an existing storage silo and revises the dust collector emissions factor.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-1751-10-3, emission increases, application, and previous Title V permit. Please submit your written comments on this project within the 45-day comment period that begins on the date you receive this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,

Director of Permit Services

Enclosures

Seyed Sadredin

Executive Director/Air Pollution Control Officer

Southern Region





MAR 21 2012

William Rossiter Rio Bravo Jasmin P.O. Box 81077 Bakersfield, CA 93380

Re:

Notice of Minor Title V Permit Modification

District Facility # S-1751 Project # S-1110987

Dear Mr. Rossiter:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued S-1751-10-3 into the Title V operating permit. This modification authorizes the storing of biomass in an existing storage silo and revises the dust collector emissions factor.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-1751-10-3, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,

Director of Permit Services

Enclosures

Seved Sadredin Executive Director/Air Pollution Control Officer

TITLE V APPLICATION REVIEW

Minor Modification Project #: S-1110987

Engineer: Kris Rickards

Date: November 7, 2011

Reviewed by Asar Arie

Facility Number: S-1751

Facility Name: Rio Bravo Jasmin Mailing Address: P.O. Box 81077

Bakersfield, CA 93380

MAR 2 0 2012

Contact Name: William Rossiter

Phone: 661-792-3048

Responsible Official: William Rossiter

Title: Director of Asset Operations

I. PROPOSAL

Rio Bravo Jasmin is proposing a Title V minor permit modification to incorporate the recently issued Authority to Construct (ATC) number S-1751-10-1 into the Title V operating permit. This ATC authorized the storing of biomass in an existing silo and revised the emission factors for the dust collector.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

11258 Porterville Hwy, Bakersfield, CA 93308

III. EQUIPMENT DESCRIPTION

S-1751-10-4: 450 TON (15,000 FT3) COKE AND/OR BIOMASS STORAGE SILO EQUIPPED WITH BHA MODEL SPJ-24-X4B8BV VENT FILTER BAGHOUSE, AND ENCLOSED PNEUMATIC SILO LOADING AND UNLOADING SYSTEMS

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, <u>Federally Mandated Operating Permits</u> (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

Condition 1 on the PTO was replaced by condition 2 on the draft PTO:

Coke storage silo loading rate from trucks shall not exceed 240 tons/day. [District NSR Rule] Bin vent shall operate with a volumetric air rate not to exceed 1,400 scfm. [District Rule 2201]

Note: The weight limiting condition was replaced with a volume limiting condition since the displaced volume is the source of emissions from the bin vent and the weight of biomass required for storage would be approximately twice that of other approved fuels due to the lower Btu content of the fuel.

Condition 2 on the PTO was modified to accurately reflect source tested emissions from the dust collector as follows and appears as condition 1 on the draft PTO:

Concentration of PM10 in coke <u>and/or biomass</u> storage silo baghouse exhaust shall not exceed <u>0.020.006</u> gr/scf. [District NSR-Rules <u>2201</u> and <u>4201</u>]

Condition 3 on the PTO was modified to include biomass as follows and appears as condition 3 on the draft PTO:

There shall be no visible emissions during unloading of coke <u>and/or biomass</u> from silo to boiler. [District Rule 2201]

Condition 5 on the PTO was modified to include biomass as follows and appears as condition 5 on the draft PTO:

No air contaminant shall be discharged into the atmosphere from coke <u>and/or biomass</u> storage silo baghouse exhaust for a period or periods aggregating more than 3 minutes in any one hour which is dark or darker than Ringelmann 1/4 or equivalent to 5% opacity. [District Rules 2201_and 4101]

Rio Bravo Jasmin Facility # S-1751 Project # S-1110987

Condition 6 on the PTO was removed as it applies to the throughput limiting condition that is no longer listed on the permit:

Daily records of coke storage silo loading rate in tons/day shall be maintained, retained on site for a period of at least five years and made available for District inspection upon request. [District NSR Rule and Rule 1070]

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

- 1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
- 2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions:
- 3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
- 4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include;
 - A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
- Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act: and
- 6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

- 1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs:
- 2. The source's suggested draft permit; and
- 3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

Rio Bravo Jasmin Facility # S-1751 Project # S-1110987

VIII. ATTACHMENTS

- Proposed Modified Title V Operating Permit S-1751-10-4 Authorities to Construct S-1751-10-3 Α.
- В.
- C. **Emissions Increases**
- Application D.
- Previous Title V Operating Permit S-1751-10-2 Ε.

ATTACHMENT A

Proposed Modified Title V Operating Permit (S-1751-10-4)

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-1751-10-4

EQUIPMENT DESCRIPTION:

450 TON (15,000 FT3) COKE AND/OR BIOMASS STORAGE SILO EQUIPPED WITH BHA MODEL VENT FILTER BAGHOUSE, AND ENCLOSED PNEUMATIC SILO LOADING AND UNLOADING SYSTEMS

PERMIT UNIT REQUIREMENTS

- Concentration of PM10 in coke and/or biomass storage silo baghouse exhaust shall not exceed 0.006 gr/scf. [District NSR Rule and Rule 4201] Federally Enforceable Through Title V Permit
- Bin vent shall operate with a volumetric air rate not to exceed 1,400 scfm. [District Rule 2201] Federally Enforceable Through Title V Permit
- There shall be no visible emissions during unloading of coke and/or biomass from silo to boiler. [District Rule 2201] Federally Enforceable Through Title V Permit
- The baghouse shall be equipped with an operational pressure differential gauge, mounted in an accessible location, which indicates the pressure drop across the bags. [District Rule 2201] Federally Enforceable Through Title V Permit
- No air contaminant shall be discharged into the atmosphere from coke and/or biomass storage silo baghouse exhaust for a period or periods aggregating more than 3 minutes in any one hour which is dark or darker than Ringelmann 1/4 or equivalent to 5% opacity. [District Rules 2201 and 4101] Federally Enforceable Through Title V Permit

Fadility-wide Permit to Operate. These terms and conditions

Facility Name: RIO BRAVO JASMIN Location: 11258 PORTERVILLE HWY, BAKERSFIELD, CA 93308 S-1751-10-4: Nov 4 2011 9:26AM - RICKARDK

ATTACHMENT B

Authority to Construct (S-1751-10-3)

AUTHORITY TO CONSTRUCT

PERMIT NO: S-1751-10-3 ISSUANCE DATE: 05/03/2011

LEGAL OWNER OR OPERATOR: RIO BRAVO JASMIN **MAILING ADDRESS:** P. O. BOX 81077

BAKERSFIELD, CA 93380

LOCATION: 11258 PORTERVILLE HWY BAKERSFIELD, CA 93308

EQUIPMENT DESCRIPTION:

MODIFICATION OF 450 TON (15,000 FT3) COKE STORAGE SILO EQUIPPED WITH BHA MODEL SPJ-24-X4B8BV VENT FILTER BAGHOUSE, AND ENCLOSED PNEUMATIC SILO LOADING AND UNLOADING SYSTEMS: AUTHORIZE STORAGE OF BIOMASS AND/OR COKE

CONDITIONS

- 1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
- 2. Concentration of PM10 in coke and/or biomass storage silo baghouse exhaust shall not exceed 0.006 gr/scf. [District NSR Rule and Rule 4201]
- 3. Bin vent shall operate with a volumetric air rate not to exceed 1,400 scfm. [District Rule 2201]
- 4. There shall be no visible emissions during unloading of coke and/or biomass from silo to boiler. [District NSR Rule]
- 5. The baghouse shall be equipped with an operational pressure differential gauge, mounted in an accessible location, which indicates the pressure drop across the bags. [District NSR Rule] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be discharged into the atmosphere from coke and/or biomass storage silo baghouse exhaust for a period or periods aggregating more than 3 minutes in any one hour which is dark or darker than Ringelmann 1/4 or equivalent to 5% opacity. [District NSR Rule and Rule 4101]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

ATTACHMENT C

Emissions Increases

		SSIPE (lb/yr)				
	NOx	VOC	CO	SOx	PM10	
S-1751-10	0	0	0	0	0	
TOTAL	0	0	0	0	0	

.

ATTACHMENT D

Application

San Joaquin Valley Air Pollution Control District VED

www.valleyair.org

APR - 1 2011

Permit Application For:

[X] MINOR MODIFICATION

[] ADMINISTRATIVE AMENDMENT

SJVAPCD Southern Region

[] SIGNIFICANT MODIFICATION

PERMIT TO BE ISSUED TO: Rio Bravo Jasmin						
2. MAILING ADDRESS:						
STREET/P.O. BOX: P. O. Box 81077						
CVTV. Pale of H	9-DIGIT ZIP CODE: 93380					
CITY: Bakersfield	STATE: CA	ZIF CODE. 93300				
3. LOCATION WHERE THE EQUIPMENT WI	INSTALLATION DATE:					
STREET: 11258 Porterville Hwy	CITY: Bakersfield, 9	03/2009				
¼ SECTION TOWNSHI	P RANGE					
4. GENERAL NATURE OF BUSINESS:						
Cogeneration of Electricity and Steam						
5. DESCRIPTION OF EQUIPMENT OR MODI. (include Permit #'s if known, and use additional Permit #S-1751-10-1: In Equipment Description and in Conditions 1, 2 Add "and/or biomass" after "coke"	al sheets if necessary)					
6. TYPE OR PRINT NAME OF APPLICANT: William Rossiter	TITLE OF APPLICANT: Director of Asset Operations, Responsible Official					
7. SIGNATURE OF APPLICANT:	DATE 4/1/20					
For APCD Use Only:						
DATE STAMP	FILING FEE RECEIVED: \$ CHECK#:					
	DATE PAID:					

ATTACHMENT E

Previous Title V Operating Permit (S-1751-10-2)

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-1751-10-2

EXPIRATION DATE: 01/31/2015

EQUIPMENT DESCRIPTION:

450 TON (15,000 FT3) COKE STORAGE SILO EQUIPPED WITH BHA MODEL SPJ-24-X4B8BV VENT FILTER BAGHOUSE, LOADING AND UNLOADING PNEUMATIC CONVEYOR SYSTEMS

PERMIT UNIT REQUIREMENTS

- Coke storage silo loading rate from trucks shall not exceed 240 tons/day. [District NSR Rule] Federally Enforceable Through Title V Permit
- Concentration of PM10 in coke storage silo baghouse exhaust shall not exceed 0.02 gr/scf. [District NSR Rule] Federally Enforceable Through Title V Permit
- There shall be no visible emissions during unloading of coke from silo to boiler. [District NSR Rule] Federally Enforceable Through Title V Permit
- The baghouse shall be equipped with an operational pressure differential gauge, mounted in an accessible location, which indicates the pressure drop across the bags. [District NSR Rule] Federally Enforceable Through Title V Permit
- No air contaminant shall be discharged into the atmosphere from coke storage silo baghouse exhaust for a period or periods aggregating more than 3 minutes in any one hour which is dark or darker than Ringelmann 1/4 or equivalent to 5% opacity. [District NSR Rule] Federally Enforceable Through Title V Permit
- Daily records of coke storage silo loading rate in tons/day shall be maintained, retained on-site for a period of at least five years and made available for District inspection upon request. [District NSR Rule and Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: RIO BRAVO JASMIN

Location: 11258 PORTERVILLE HWY, BAKERSFIELD, CA 93308 S-1751-10-2: Nov 4 2011 9:28AM – RICKARDK